



COATED ABRASIVES

ผ้าทราย, กระดาษทราย



- BELTS
- ROLLS
- SHEETS
- FLAP WHEELS
- MOUNTED FLAP WHEELS
- DISCS
- FLAP DISCS




Coated Abrasives – Specification

X625F



Item	: X625F
Backing	: Hard Cloth x Weight
Bonding	: Resin Over Resin
Grain	: Aluminium Oxide
Grit	: 40-400
Standard Width Size	: 1340 mm.
Conversion	: Narrow Belts, Wide Belt, Rolls and Sheet
Joint	: Tape, Overlap
Application	: Wood especially rubber wood
Machine to Use	: Wide Belt Sander, Long Belt Sander
Industrial	: Wood industrial and furniture
Advantage	: Hand Cloth backing, Durable and strong



X825FT



Item	: X825FT
Backing	: Hard Cloth x Weight
Bonding	: Resin Over Resin
Grain	: Aluminium Oxide
Grit	: 40-320
Standard Width Size	: 1340 mm.
Conversion	: Narrow Belts, Wide belts, Rolls and Sheet
Joint	: Tape, Overlap
Application	: Wood especially rubber wood
Machine to Use	: Wide Belt Sander, Long Belt Sander
Industrial	: Wood industrial, furniture, Suitable for hardwood
Advantage	: Hand Cloth backing, Durable and strong



X871K



Item	: X871K
Backing	: Hard Cloth x Weight
Bonding	: Resin Over Resin
Grain	: Aluminium Oxide
Grit	: 24-600
Standard Width Size	: 1340 mm.
Conversion	: Long Belts, Rolls, Flap Wheel and Mini Wheel
Application	: All Kind of metal works
Machine to Use	: Long Belt Sanding
Industrial	: Golf industries, Automobile parts and Furniture industries
Advantage	: Hand Cloth backing suitable for heavy sanding



X871KN



Item	: X871KN
Backing	: Hard Cloth x Weight
Bonding	: Resin Over Resin
Grain	: Silicon Carbide
Grit	: 80-320
Standard Width Size	: 1340 mm.
Conversion	: Long Belts, Rolls, Flap Wheel and Mini Wheel
Application	: All Kind of metal works
Machine to Use	: Long Belt Sanding
Industrial	: Golf industries, Automobile parts and Furniture industries, Glass, Plastic Brass and Other metal
Advantage	: Hand Cloth backing, Durable and strong




Coated Abrasives – Specification

X830W




Item	: X830W
Backing	: Hard Cloth x Weight, 100% cotton
Bonding	: Resin Over Resin
Grain	: Aluminium Oxide
Grit	: 40-600
Standard Width Size	: 1280 mm.
Conversion	: Flap Wheel, Flap Disc and Mini Wheel
Application	: Metal and Wood working industries
Machine to Use	: Machine with motor, Air tools
Industrial	: Automobile, Part, Pipe, Furniture and Wood industries
Advantage	: The sharpness of the grain, Cloth and grain will be eliminated together while working



X85




Item	: X85
Backing	: Hard Cloth x Weight backing
Bonding	: Resin Over Resin
Grain	: Zirconia and Aluminium Oxide
Grit	: 40-150
Standard Width Size	: 1340 mm.
Conversion	: Belts, Rolls, and Flap Disc
Application	: Hard wood working industries, Die casting and All kind of metal works
Machine to Use	: Long belts sander, Wide belt sander, Electric and Air tools
Industrial	: Automobile, Motorbike part Aluminium die casting
Advantage	: The sharpness of the grain, Long life, Durable



X1281BN



Item	: X1281BN
Backing	: Hard Cloth x Weight mixed with polyester
Bonding	: Resin Over Resin
Grain	: Zirconia
Grit	: 36-120
Standard Width Size	: 1340 mm.
Conversion	: Long Belts, Wide Belts and Narrow Belts
Application	: Tough metal surface, Stainless, Heavy removal operation
Machine to Use	: Air Tools, Narrow Belts sander
Industrial	: Automobile, Part, Forging, Stainless steel and Welding sports
Advantage	: High grinding pressures at heavy duties



J870K



Item	: J870K
Backing	: Soft cloth J-Flex
Bonding	: Resin Over Resin
Grain	: Aluminium Oxide
Grit	: 60-400
Standard Width Size	: 1120 mm.
Conversion	: Long Belts, Rolls, Flap Wheel and Mini Wheel
Application	: All kind of metal working
Machine to Use	: Long Belts sanding, Air tools
Industrial	: Golf industries, Automobile part and Furniture industries
Advantage	: Suitable for profile sanding



Coated Abrasives – Specification

J640E



Item	: J640K
Backing	: Soft cloth J-Flex
Bonding	: Resin Over Resin
Grain	: Aluminium Oxide
Grit	: 60-400
Standard Width Size	: 1120 mm.
Conversion	: Narrow Belts, Long Belts and Rolls
Application	: All kind of wood working
Machine to Use	: Profile sander
Industrial	: Wood and Furniture industries
Advantage	: Suitable for profile sanding, Long life



J31



Item	: J31
Backing	: Soft cloth J-Flex
Bonding	: Resin Over Resin
Grain	: Aluminium Oxide
Grit	: 60-320
Standard Width Size	: 1120 mm.
Conversion	: Narrow Belts, Long Belts and Rolls
Application	: All kind of wood and metal working
Machine to Use	: Profile sander, Hand sanding
Industrial	: Wood and Metal working
Advantage	: Suitable for profile sanding, Long life



C-J64



Item	: C-J64
Backing	: Soft cloth J-Flex
Bonding	: Resin Over Resin
Grain	: Silocon Carbide
Grit	: 80-800
Standard Width Size	: 1120 mm.
Conversion	: Narrow Belts, Rolls and Sheet
Application	: All kind of metal working
Machine to Use	: Sponge contact wheel machine, Air tools and sponge sander
Industrial	: Fitting, Automobile and metal industries
Advantage	: Durable and long life expectancy



C-J64D



Item	: C-J64D
Backing	: Soft cloth J-Flex
Bonding	: Resin Over Resin
Grain	: Silocon Carbide with Zinc stearate
Grit	: 80-800
Standard Width Size	: 1120 mm.
Conversion	: Narrow Belts, Rolls and Sheet
Application	: All kind of metal working, Stainless, Aluminium brass or other non ferrous metals
Machine to Use	: Sponge contact wheel machine, Air tools and sponge sander
Industrial	: Metal furniture industries
Advantage	: Durable, Prevents grain shedding during in grinding operation




Coated Abrasives – Specification

A-J64D



Item	: A-J64D
Backing	: Soft cloth J-Flex
Bonding	: Resin Over Resin
Grain	: Aluminium Oxide
Grit	: 60-400
Standard Width Size	: 1120 mm.
Conversion	: Narrow Belts, Rolls and Sheet
Application	: None ferrous metals and all kind of woods
Machine to Use	: Sponge contact wheel machine, Air tools and Sponge sander
Industrial	: Metal furniture industries
Advantage	: Durable, Prevents grain shedding during in grinding operation



J645E



Item	: J645E
Backing	: Very soft cloth backing with polyester ingredient
Bonding	: Resin Over Resin
Grain	: Aluminium Oxide
Grit	: 400-2000
Standard Width Size	: 940 mm.
Conversion	: Long Belts, Rolls and Sheet
Application	: All kind of wood working and general metal working
Machine to Use	: Profile sander, Sponge sander
Industrial	: Wood industries, Fitting, Glass, PVC and Watch band
Advantage	: Very soft cloth backing suitable for profile applications



J645EN



Item	: J645EN
Backing	: Very soft cloth backing with polyester ingredient
Bonding	: Resin Over Resin
Grain	: Silicon Carbide
Grit	: 240-800
Standard Width Size	: 940 mm.
Conversion	: Long Belts, Rolls and Sheet
Application	: PVC, Copper, Brass, Glass or all non ferrous, Metal working industries
Machine to Use	: Profile sander, Sponge sander
Industrial	: Wood industries, Fitting, Glass, PVC and Watch band
Advantage	: Very soft cloth backing suitable for profile applications



X875FT



Item	: X875FT
Backing	: Hard Cloth x Weight
Bonding	: Resin Over Resin
Grain	: Silicon Carbide with Zinc stearate
Grit	: 24-240
Standard Width Size	: 1340 mm.
Conversion	: Narrow Belts, Wide Belts, Rolls and Sheet
Application	: MDF, Partical board and Fiber cement board
Machine to Use	: Wide belts sander, Long belts sander
Industrial	: Furniture industries
Advantage	: Hand cloth backing, Durable and strong




Coated Abrasives – Specification

E27



Item	: E27
Backing	: Paper E Weight
Bonding	: Resin Over Resin
Grain	: Aluminium Oxide
Grit	: 40-180, 240-320
Standard Width Size	: 1372 mm.
Conversion	: Long Belts, Wide Belts, Rolls, Disc and Sheet
Application	: Wood working industries
Machine to Use	: Long Belt Sander, Wide Belts Sander, Electric and Air tools
Industrial	: Wood and Furniture industries
Advantage	: The sharpness of the grain, Long life, Durable



E1755F



Item	: E1755F
Backing	: Paper E Weight
Bonding	: Resin Over Resin
Grain	: Silicon Carbide
Grit	: 180-400
Standard Width Size	: 1372 mm.
Conversion	: Belts, Rolls and Disc
Application	: Hard wood
Machine to Use	: Long Belt Sander, Wide Belts Sander, Electric and Air tools
Industrial	: Furniture wood industries and General metal working
Advantage	: The sharpness of the grain, Long life, Durable



E1755FD



Item	: E1755FD
Backing	: Paper E Weight
Bonding	: Resin Over Resin
Grain	: Silicon Carbide with Zinc stearate
Grit	: 180-600
Standard Width Size	: 1372 mm.
Conversion	: Belts, Rolls and Disc
Application	: Lacquerer, Sealer and paint surface
Machine to Use	: Long Belt Sander, Wide Belts Sander, Electric and Air tools
Industrial	: Automobile, Furniture and wood industries
Advantage	: The sharpness of the grain, Long life, Durable



C947H



Item	: C947H
Backing	: C Weight waterproof paper
Bonding	: Resin Over Resin
Grain	: Silicon Carbide
Grit	: 80-2000
Standard Width Size	: 1170 mm.
Conversion	: Rolls, Disc and Sheet
Application	: Lacquerer, Resin, Glass, Ceramic, Plastic and PVC
Machine to Use	: Hand sanding, Hand tools, Wet sanding
Industrial	: Surface in the Automobile, Furniture and Jewelry industries
Advantage	: Suitable in the water, Long life expectancy



Coated Abrasives – Specification

A710D



Item	: A710D
Backing	: Paper A Weight
Bonding	: Resin Over Resin
Grain	: Silicon Carbide with Zinc stearate
Grit	: 100-800
Standard Width Size	: 940 mm.
Conversion	: Rolls, Disc and Sheet
Application	: Lacquerer, Sealer and paint surface
Machine to Use	: Hand sanding, Orbital sander
Industrial	: Automobile, Furniture and wood industries
Advantage	: Flexible, Special coat with zinc stearate



XC25T



Item	: XC25T
Backing	: Hard Cloth x Weight
Bonding	: Resin Over Resin
Grain	: Aluminium Oxide
Grit	: 40-400
Standard Width Size	: 1340 mm.
Conversion	: Narrow Belts, Wide Belts, Rolls and Sheet
Joint	: Tape overlap
Application	: Wood especially rubber wood
Machine to Use	: Wide Belts sander, Long Belts sander
Industrial	: Wood and Furniture industries
Advantage	: Hand cloth backing, Durable and strong



XC301T



Item	: XC301T
Backing	: Hard Cloth x Weight
Bonding	: Resin Over Resin
Grain	: Aluminium Oxide
Grit	: 40-320
Standard Width Size	: 1340 mm.
Conversion	: Narrow Belts, Wide Belts, Rolls and Sheet
Joint	: Tape overlap
Application	: Wood working, General metal working
Machine to Use	: Wide Belts sander, Long Belts sander
Industrial	: Wood and Furniture industries, General metal working
Advantage	: Hand cloth backing, Durable and strong



XC37



Item	: XC37
Backing	: Hard Cloth x Weight
Bonding	: Resin Over Resin
Grain	: Aluminium Oxide
Grit	: 40-240
Standard Width Size	: 1340 mm.
Conversion	: Long Belts, Rolls, Flap Wheel and Flap Disc
Application	: All kind of metal working
Machine to Use	: Long Belts sanding, Electric and Air tools
Industrial	: Golf, Automobile parts and Furniture industries and General metal working
Advantage	: Hand cloth backing suitable for heavy sanding



Coated Abrasives – Specification

XC38T




Item	: XC38T
Backing	: Hard Cloth x Weight, 100% cotton
Bonding	: Resin Over Resin
Grain	: Aluminium Oxide
Grit	: 60-320
Standard Width Size	: 1340 mm.
Conversion	: Flap Wheel, Flap Disc and Mini Wheel
Application	: Metal and wood working industries
Machine to Use	: Machine with motor, Air tools
Industrial	: Automobile, Parts, Pipe, Furniture and wood industries
Advantage	: The sharpness of the grain, Cloth and grain will be eliminated together while working



E127T



Item	: E127T
Backing	: Paper E Weight
Bonding	: Resin Over Resin
Grain	: Aluminium Oxide
Grit	: 40-180, 240-320
Standard Width Size	: 1372 mm.
Conversion	: Long Belts, Wide Belts, Rolls, Disc and Sheet
Application	: Wood working industries
Machine to Use	: Long Belts sander, Wide Belts sander, Electric and Air tools
Industrial	: Wood and Furniture industries
Advantage	: The sharpness of the grain, Long life, Durable



CW11T



Item	: CW11T
Backing	: C Weight waterproof Paper
Bonding	: Resin Over Resin
Grain	: Silicon Carbide
Grit	: 80-2000
Standard Width Size	: 1170 mm.
Conversion	: Rolls, Disc and Sheet
Application	: Lacquer, Resin, Glass, Ceramic, Plastic and PVC
Machine to Use	: Hand sanding, Hand tools, Wet sanding
Industrial	: Surface in the Automobile industries, Furniture and Jewelry industries and Paint applications
Advantage	: Suitable in ther water, Long life expectancy



CW12L



Item	: CW12L
Backing	: C Weight waterproof Latex Paper
Bonding	: Resin Over Resin
Grain	: Silicon Carbide
Grit	: 80-2000
Standard Width Size	: 1170 mm.
Conversion	: Rolls, Disc and Sheet
Application	: Lacquer, Resin, Glass, Ceramic, Plastic and PVC
Machine to Use	: Hand sanding, Hand tools, Wet sanding
Industrial	: Surface in the Automobile industries, Furniture and Jewelry industries and Paint applications
Advantage	: Suitable in ther water, Long life expectancy, Especially in oil applications




Coated Abrasives – Specification

JC27T




Item	: JC27T
Backing	: Soft Cloth J-Flex
Bonding	: Resin Over Resin
Grain	: Aluminium Oxide
Grit	: 60-400
Standard Width Size	: 1120 mm.
Conversion	: Longe Belts, Rolls, Flap Wheel and Mini Wheel
Application	: All kind of metal working
Machine to Use	: Long Belts sanding, Air tools
Industrial	: Golf, Automobile parts and Furniture industries
Advantage	: Suitable for profile sanding



E01/E



Item	: E01/E
Backing	: Paper E Weight
Bonding	: Resin Over Resin
Grain	: Aluminium Oxide with open coated
Grit	: 40-120
Standard Width Size	: 1372 mm.
Conversion	: Rolls, Disc and Sheet
Application	: General working
Machine to Use	: Hand sanding, Air tools
Industrial	: General working
Advantage	: The sharpness of the grain, Long life, Durable



COATED ABRASIVES





WWW.SOLIMACGROUP.COM



B&B SOLIMEC CO.,LTD.

3755/6, Rama 4 Road, Phrakhanong, Klongtoei, Bangkok, 10110 Thailand

Tel : (+66) 02-712-0898, (+66) 02-381-2296

Fax : (+66) 02-712-3678, (+66) 02-381-2295

 @SOLIMACGROUP

 SOLIMACGROUP

 WWW.SOLIMACGROUP.COM

